

L Numb r	Hits	S arch Text	DB	Tim stamp
-	106	710/300-304.ccls. and (hand\$1held or pda or personal adj2 assistant)	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:08
-	41	option adj2 pack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 17:01
-	0	20010037420.URPN.	USPAT	2003/05/14 17:08
-	118	710/300-304.ccls. and (hand\$1held or pda or personal adj2 assistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:31
-	12	(710/300-304.ccls. and (hand\$1held or pda or personal adj2 assistant)) not (710/300-304.ccls. and (hand\$1held or pda or personal adj2 assistant))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 17:49
-	1	("5,815,426").PN.	USPAT	2003/05/14 17:49
-	4989	card same (hand\$1held or pda or personal adj2 assistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:38
-	1042	13.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:31
-	11	13.ab,ti. and 710/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:32
-	205	(add-in or add adj in or add-on or add adj on) same (hand\$1held or pda or personal adj2 assistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:39
-	2630	(add-in or add adj in or add-on or add adj n).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 18:52

-	19	((add-in r add adj in or add-on r add adj n) same (hand\$1held or pda r personal adj2 assistant)) and ((add-in r add adj in r add-on or add adj on).ab,ti.)	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 19:48
-	5163	"100" adj2 pin or 100-pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 13:46
-	963	710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 16:28
-	30	("100" adj2 pin or 100-pin) and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 13:42
-	10	("100" adj pin or 100-pin) same pcmcia	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 15:09
-	10	bootstrap same (oem or manufactur\$3 adj2 information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 16:10
-	241	handspring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 16:40
-	1377	710/260-269.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 16:40
-	10	710/300-304.ccls. and 710/260-269.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:38
-	39722	(sufficient or enough) near3 power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 17:00

-	24802	(suffici nt or enough) n ar3 (mem ry or buffer)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/05/16 15:56
-	45	710/300-304.ccls. and ((sufficient or enough) near3 power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 17:47
-	43	710/300-304.ccls. and ((sufficient or enough) near3 (memory or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 18:58
-	7	lada-henry.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 19:00
-	163	lightfoot.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 19:00
-	0	lightfoot.in. and compaq	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:38
-	963	710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:38
-	349	710/300-304.ccls. and (power same card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:38
-	302	(710/300-304.ccls. and (power same card)) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:40
-	50	((710/300-304.ccls. and (power same card)) and memory) and (pda or hand\$1held)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:50

-	473	cis same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:07
-	16	(cis same card) and bo tstrap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:07
-	27	(cis same card) same (boot\$5 or bios)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 13:45
-	15	(100-pin or "100" adj pin) and cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:07
-	1865	debounce	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:07
-	1105	debounce same tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:18
-	11	(debounce same tim\$3) and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:09
-	1693	de\$1bounc\$3 same tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:42
-	20	(de\$1bounc\$3 same tim\$3) and ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:57
-	1	6389486.pn.	USPAT	2003/05/19 14:51
-	0	6389486.URPN.	USPAT	2003/05/16 15:17

-	15	("5572683" "5623637" "5628028" "5664198" "5664231" "5784633" "5802558" "5898869" "5978862" "6029211" "6055593" "6182204" "6226202" "6256692" "6266202").PN.	USPAT	2003/05/16 19:37
-	24802	(suffi i nt r enough) n ar3 (memory r buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:33
-	434	((sufficient or enough) near3 (memory or buffer)) and ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:35
-	20	((sufficient or enough) near3 (memory or buffer)) and ((pc or pcmcia) adj2 card)) and cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:59
-	104132	(check\$3 OR determin\$3) near7 (memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:05
-	1266	((check\$3 OR determin\$3) near7 (memory)) and ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:16
-	97	((check\$3 OR determin\$3) near7 (memory)) same ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:17
-	593	((sufficient or enough) near3 (memory or buffer)) with load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:22
-	21	((sufficient or enough) near3 (memory or buffer)) with load\$3) and ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:30
-	35	((sufficient or enough) near3 (memory or buffer)) same ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:29

-	1348	((suffi ient or enough) n ar3 (m m ry r buff r)) near10 (check\$3 or det rmin\$3 r d cid\$3)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/05/16 16:34
-	22	((suffici nt r n ugh) near3 (mem ry r buffer)) near10 (check\$3 or determin\$3 or decid\$3)) and ((pc or pcmcia) adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:35
-	1868	"100" adj pin or 100-pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:41
-	1	("100" adj pin or 100-pin) and cis and (pcmcia or pc adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:46
-	894	rom same eeprom and (pcmcia or pc adj2 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:46
-	86	(rom same eeprom and (pcmcia or pc adj2 card)) and cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:50
-	61	((rom same eeprom and (pcmcia or pc adj2 card)) and cis) and cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:53
-	1	((application or driver) with rom) and (cis with eeprom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 17:19
-	269	((application or driver) with rom) same (PC adj2 card or pcmcia)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:57
-	24	((application or driver) with rom) same (PC adj2 card or pcmcia)) and eeprom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 16:58

-	887	(application r driv r) n ar7 (pcmcia r pc adj2 ard)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 17:23
-	131	44.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 17:23
-	25	(cis same card) and (handheld or hand-held or pda)	USPAT	2003/05/19 11:24
-	68	("100" adj pin or 100-pin) same card	USPAT	2003/05/19 12:29
-	16	("100" adj pin or 100-pin) same card	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 11:37
-	1	6134612.pn.	USPAT	2003/05/19 12:04
-	122	100-pin	USPAT	2003/05/19 12:04
-	10	100-pin and (pcmcia or pc) adj2 card	USPAT	2003/05/19 12:05
-	14205	eeeprom same (rom or flash)	USPAT	2003/05/19 12:30
-	690	(eeeprom same (rom or flash)) and (pcmcia or pc) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:31
-	115	(eeeprom same (rom or flash)) same (pcmcia or pc) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:49
-	773	attribute same common same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:51
-	145	attribute same common same memory same application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:51
-	102	(attribute same common same memory) and (pc or p mcia) adj2 card	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:51

-	53	(attribut same mmon same memory same application) and (pc r p mcia) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:10
-	152	epr m with (cis r attribut)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:14
-	93	(eeprom with (cis or attribute)) and card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:15
-	76	(eeprom with (cis or attribute)) same (flash or rom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:14
-	53	((eeprom with (cis or attribute)) same (flash or rom)) and card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 14:35
-	654	(pcmcia or pc) adj2 card same serial\$3	USPAT	2003/05/19 16:00
-	57	((pcmcia or pc) adj2 card same serial\$3) and cis	USPAT	2003/05/19 16:04
-	200	cis with serial\$3	USPAT	2003/05/19 15:07
-	11	(cis with serial\$3) and (pc or pcmcia) adj2 card	USPAT	2003/05/19 15:23
-	97	serial adj2 interface same (pc or pcmcia) adj2 card	USPAT	2003/05/19 16:15
-	2	((("6,134,612") or ("5,444,222"))).PN.	USPAT	2003/05/19 15:53
-	246	(pcmcia or pc) adj2 card with serial\$3	USPAT	2003/05/19 16:12
-	18	((pcmcia or pc) adj2 card with serial\$3) and cis	USPAT	2003/05/19 16:04
-	61	usb with (pc or pcmcia) adj2 card	USPAT	2003/05/19 16:16
-	0	("serial adj interface same parallel adj interface same power").PN.	USPAT	2003/05/19 17:42
-	204	serial adj interface same parallel adj interface same power	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/05/19 18:25

-	120	(serial adj int rface same parall l adj interface same p wer) and ard	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/05/19 18:18
-	5875	serial sam p w r.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:18
-	38	(serial same power.ab,ti.) and (pc adj2 card or pcmcia)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:19
-	2085	serial adj interface same power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:25
-	198	(serial adj interface same power) and (pc or pcmcia) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:26
-	163	((serial adj interface same power) and (pc or pcmcia) adj2 card) not (serial adj interface same parallel adj interface same power) not ((serial same power.ab,ti.) and (pc adj2 card or pcmcia))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:29
-	19850	serial\$3 with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 18:30
-	60	((((serial adj interface same power) and (pc or pcmcia) adj2 card) not (serial adj interface same parallel adj interface same power) not ((serial same power.ab,ti.) and (pc adj2 card or pcmcia)))) and (serial\$3 with power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 19:29
-	540	buffer near3 overrun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 19:30
-	9	(buffer near3 overrun) same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 19:31

-	128	card same v rrun	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:09
-	0	(card sam ov rrun) same (attribut or cis)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 19:36
-	14	overrun same cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 19:36
-	74	(location or address) near10 (application or driver) same (pc or pcmcia) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:17
-	836	(location\$1 or address\$2) same cis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:18
-	85	((location\$1 or address\$2) same cis) same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:30
-	32	cis with driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:30
-	7	((("6,134,612") or ("5,444,222") or ("6055595") or ("6182204") or ("6199168") or ("6308240") or ("5652832")).PN.	USPAT	2003/05/19 20:46
-	2	((("6,134,612") or ("5,444,222") or ("6055595") or ("6182204") or ("6199168") or ("6308240") or ("5652832")).PN.) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:47
-	16	((("6397284") or ("6272575") or ("6199168") or ("6442637") or ("6563703") or ("6430644") or ("6408352") or ("6389486") or ("6381662") or ("5815426") or ("6353870") or ("6286060") r ("5887145") or ("5778195") or ("5983298") r ("5909596")).PN.	USPAT	2003/05/19 20:47

-	3	((("6397284") or ("6272575") r ("6199168") or ("6442637") or ("6563703") or ("6430644") r ("6408352") r ("6389486") r ("6381662") r ("5815426") r ("6353870") or ("6286060") r ("5887145") r ("5778195") r ("5983298") r ("5909596")).PN.) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:50
-	2947	interrupt with (insert\$3 or dock\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:51
-	46	(interrupt with (insert\$3 or dock\$3)) and (pc or pcmcia) adj2 card and "cis"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:55
-	20	((location or address) same cis) and (pc or pcmcia) adj2 card) and (pda or handheld or hand-held or hand adj held)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:54
-	19	((location or address) same cis) and (pc or pcmcia) adj2 card) and (pda or handheld or hand-held or hand adj held)) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 20:54
-	4	(interrupt with (insert\$3 or dock\$3)) and ((pc or pcmcia) adj2 card) and "cis" and power and (pda or hand-held or handheld or hand adj held)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 11:51
-	1	"6036098".PN.	USPAT	2003/05/19 20:56
-	877	user with (available or sufficient) adj2 (buffer or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 11:54
-	26	(user with (available or sufficient) adj2 (buffer or memory)) and (pc or pcmcia) adj2 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 12:08
-	1	("6308240").PN.	USPAT	2003/05/20 13:06
-	1	("6055596").PN.	USPAT	2003/05/20 13:30
-	100	debounce n ar3 (time\$1 r interval) with (signal or interrupt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 13:49

-	2	746841.ap. or 748856.ap.	US-PGPUB	2003/10/22 12:22
-	14	((("6266724") or ("6427918") r ("6389486") or ("6442637") or ("6145046") r ("6182204") or ("6362794") r ("6272575") r ("6199168") r ("6571308") r ("6599147") or ("6052381") or ("6570767") or ("6438638")).PN.	USPAT	2003/10/22 12:25
-	11	((("6266724") or ("6427918") or ("6389486") or ("6442637") or ("6145046") or ("6182204") or ("6362794") or ("6272575") or ("6199168") or ("6571308") or ("6599147") or ("6052381") or ("6570767") or ("6438638")).PN.) and (application\$1 or driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 13:22
-	63	pcmcia adj2 card near8 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:33
-	434	710/300-304.ccls. and driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:41
-	210	710/300-304.ccls. and (card\$1 or expansion) same driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 13:22
-	45	710/300-304.ccls. and (application\$1 near3 program\$1) same driver\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 14:43
-	92	("100" adj pin or 100-pin) same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 15:10
-	66	application\$1 adj program\$1 with (lan adj card\$1 or sound adj card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:24
-	5	applications near8 (lan adj card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:24

-	210	710/300-304. cls. and (card\$1 r xpansion) same driv r\$1	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:38
-	55	b otstrap with card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 19:52
-	142	bootstrap same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 19:39
-	87	(bootstrap same card) not (bootstrap with card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 19:39
-	65	bootstrap with card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 19:52
-	10	(bootstrap with card) not (bootstrap with card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 19:53
-	1	("6199168").PN.	USPAT	2003/10/28 20:04
-	12	((("6266724") or ("6427918") or ("6389486") or ("6442637") or ("6145046") or ("6182204") or ("6362794") or ("6272575") or ("6199168") or ("6571308") or ("6599147") or ("6052381") or ("6570767") or ("6438638")).PN.) and (application\$1 or driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:20
-	5473	(sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:22
-	2890	(sufficient or enough) adj2 (space or memory or storage) adj10 (store or saving or save or download\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:23

-	855	((suffici nt or en ough) adj2 (space or memory r storage) adj10 (stor r saving or save r downl ad\$3)) and card\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:23
-	0	((suffici nt r en ough) adj2 (spac r memory or storage) adj10 (store or saving or save or download\$3)) and card\$1) and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 18:51
-	3	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:24
-	187	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) same card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:26
-	473	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) with (check\$3 or determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:26
-	46	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) with (check\$3 or determin\$3)) and 710/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:30
-	140	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) with (check\$3 or determin\$3)) and card\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:31
-	15	((sufficient or enough) adj2 (space or memory or storage) adj10 (stored or store or storing or receiv\$3 or download\$3 or load\$3)) with (check\$3 or determin\$3)) same card\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 17:36
-	1	("5652832").PN.	USPAT	2003/10/28 18:02
-	483	interrupt\$3 and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 18:53
-	220	int rrupt\$3 sam (insert\$3 r d ck\$3 or plug\$4) and 710/300-304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 18:57

-	149	int rrupt\$3 with (insert\$3 r d ck\$3 or plug\$4) and 710/300-304.c ls.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/10/28 18:57
-	5	6311242.URPN.	USPAT	2003/10/28 19:19
-	26	("5210855" "5323291" "5347425" "5386567" "5454080" "5594873" "5655148" "5680288" "5734840" "5748980" "5768541" "5781744" "5784576" "5787246" "5805412" "5809329" "5815377" "5875308" "5875310" "5889965" "5935228" "5949979" "5961352" "5991158" "5996035" "6026458").PN.	USPAT	2003/10/28 19:22
-	1	("6599147").PN.	USPAT	2003/10/28 20:04